# Statement Of Work For The Inspection, Repair Only As Necessary (IROAN) for EXTINGUISHER, FIRE, DRY CHEMICAL AND AQUEOUS FILM FORMING FOAM SELF-CONTAINED Model 450PKP/100AFFF03638MC, NSN 4210-01-205-2246

1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for the purpose of this SOW, Contractor is defined as the commercial or government entity performing the repair) to repair the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained, NSN 4210-01-205-2246, P/N 8403638, and NSN 4210-01-354-9893, P/N 08128, Commercial and Government Entity Code (CAGE) 64903, respectively. This document contains requirements to restore the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained, to Condition Code "A". Condition Code "A" is defined as "servicable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining."

- 1.1 <u>BACKGROUND</u>: IROAN is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy". This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items. This Statement of Work (SOW) identifies the work effort that shall be performed by the contractor (for the purposes of this SOW, Contractor is defined as the commercial or government entity performing the repair) to repair the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained NSN 4210-01-205-2246, P/N 8403638, and NSN 4210-01-354-9893, P/N 08128, Commercial and Government Entity Code (Cage) 64903, Respectively.
- **2.0** APPLICABLE DOCUMENTS The following documents form a part of this SOW to the extent specified:

# 2.1 MILITARY SPECIFICATIONS.

MIL-C-81309 Corrosive Preventive Compounds, Water Displacing, Ultra thin

#### 2.2 MILITARY STANDARDS.

MIL-STD-129	DOD Standard Practice for Military Marking
MIL-STD-130	DOD Standard Practice for Identification Marking of U.S.
	Military property
MIL-STD-973	Configuration Management (Guidance Only)
MIL-STD-2073-1C	DOD Standard Practice for Military Packaging

#### 2.3 OTHER GOVERNMENT DOCUMENTS

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material from the

Federal Supply System

TM 07661B-14/1 Organizational Instructions and Maintenance

TM 07661C-14/1 Instructions

TM 4750-15/1 Painting and Marking Marine Corps Combat and Tactical

Equipment

#### 2.4 INDUSTRY STANDARDS.

ANSI/ISO/ASQC Q9003-1994 Quality Systems Model For Quality Assurance

In Final Inspection And Test

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

#### 3.0 <u>REQUIREMENTS</u>.

- 3.1 <u>GENERAL TASKS</u>: In fulfilling the specified requirements, the contractor shall provide materiels, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained. Upon completion of IROAN, the subject item shall be Condition Code "A".
- **3.1.1 Detail Tasks**: The following tasks describe the different phases for IROAN of the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained.
- **a.** <u>Data Plate</u>: Each repaired Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained shall have a IROAN data plate affixed to the existing data plate. The data plate shall meet the requirements of MIL-STD-130 and TM 07661B-14/1/TM 07661C-14/1.

#### b. Hardware:

(1) Replace broken, unserviceable and/or missing hardware to include mechanical assemblies, nuts, bolts, screws, washers, turn lock fasteners, mandatory replacement items,

safety, and one-time use items, in accordance with the TM 07661B-14/1/TM 07661C-14/1. Unserviceable is defined as any of the above that failed to function properly.

- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

# c. Rust Proofing

- (1) Clean Equipment with either steam or high pressure water.
- (2) Treat corroded areas with phosphoric fog, clean in accordanc with precedure 1.
- (3) Apply MIL-C-81309 TYPE I, corrosive preventive compound, to affected areas.
- (4) Prime and Paint according to latest addition of TM 4750-15/1.

#### **3.1.2 INSPECTION, TESTING AND ACCEPTANCE:**

- a. Inspection, Testing and Acceptance of the Extinguisher, Fire, Dry Chemical and Aqueous Film Forming Foam Self-Contained shall be conducted in accordance with TM 07661B-14/1/TM 07661C-14/1.
- b. The contractor shall be responsible for conducting required tests and shall ensure all necessary personnel are notified prior to completion of final acceptance. Acceptance tests shall be held at contractor facility.
- c. The contractor shall be responsible for correcting any deficiencies identified during inspection/testing.
- 3.2 CONTRACTOR FURNISHED MATERIEL In the event that Contractor Furnished Materiel (CFM) is required for repair parts, DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes the contractor to requisition through the DOD supply system. The procedures outlined in NAVICPINST 4491.2B shall be utilized in regards to the CFM.
- 3.3 GOVERNMENT FURNISHED EQUIPMENT(GFE)/ GOVERNMENT FURNISHED MATERIEL (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement

3

to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets."

- 3.4 QUALITY ASSURANCE PROVISIONS. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements
- **3.5** CONFIGURATION CONTROL. If it is necessary to depart from the authorized configuration, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4 as guidance.

### 3.6 PACKAGING, HANDLING, STORAGE AND TRANSPORTATION

- a. The Contractor shall be responsible for packaging and preservation of the items to be delivered under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1C, Method 10. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level B requirements."
- b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302, Respondents should be aware that notwritestanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. ksted in Block E.

		1		T						
A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:  TOP TM OTHER		×				
D. SYSTEM/ITEM		E. CONTRACT/PR								
	tinguisher, Fire									
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					
A001		Request	For Deviation	n		Configuration Management				
4. AUTHORITY (Data Acquis	sition Document No.)	reduces	5. CONTRACT REFERE			6. REQUIRING OFFICE	inage in c	***		
DI-	CMAN-80640B			SOW 3.5		MCLB.	A (825)			
7. DD 250 REO	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION				
LT	_		ASREQ	SEE BLK	16		b. COPIES			
8. APP CODE	A	11. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Final		
18. REMARKS						MCLBA (825-2)	0	Reg 1	Repro O	
	ctor format is aut					WCLDA (623-2)	+	1		
Blks 10 & 12 nonconforming documentation	- RFDs shall be so g material which o	ubmitted does not i	to obtain auth meet prescrib	norization to delive ed configuration	er				 	
	reviewed and disn			thin 30 calendar d						
RFDs shall be	transmitted, in A	SCII form	nat, via E-M	ail to the followin	g		<del> </del>			
address: mbm	atcomeonfigmngi	nnt@mat	com.usmc.mi	11			+			
Distribution St	tatement A: Appr	oved for	public releas	e, distribution is u	nlimited					
							.			
						· r	-			
							<b>├</b>			
							1 1			
								/		
							1			
					:					
							<b>-</b>			
					ļ		+			
						,,,	1 1			
							<b></b>			
							-			
						· ——-	1			
						·	+			
							<del>                                     </del>			
							1			
					[		$oldsymbol{ol{ol{oldsymbol{ol}}}}}}}}}}}}}}}}}$		-	
G. PREPARED BY	<u>.</u>		H. DATE	I Approves s	<u> </u>	15. TOTAL	0	1	0	
G. PREPARED BY  H. DATE  FEB 2 2000  Olams							J. DATE 2/25/00			
DD FORM 1423-	1, AUG 96 (EG)	ren f	'	REVIOUS EDITION MAY BE	USED.		Page	of	Pages	

18. ESTIMATED TOTAL PRICE

#### **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jelferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. issted in Block E.

D. SYSTEM/ITEM Extinguisher, Fire		B. EXHIBIT								
		E. CONTRACT/PR	E. CONTRACT/PR NO. F. CONT				-			
1. DATA ITEM NO. 2. TITLE OF DATA ITEM				3. SUBTITLE						
A002		Request For Waiver				Configuration Management				
I. AUTHORITY (Data Acquis) DI-C	ition Document No.) CMAN-80641B		5. CONTRACT REFEREN	SOW 3.5		6. REQUIRING OFFICE  MCLB	.BA (825)			
LT	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSION SEE BLK 16		14. DISTRIBUTION				
APP CODE		ASREQ 11. AS OF DATE		13. DATE OF SUBSECUENT SUBMISSION		a. Addressee	b. COPIES Final		nal	
6. REMARKS	Α			308,500.04		NGI DA (025.4)	Draft -	Reg	Repro	
	ctor format is auth	orized.				MCLBA (825-2)	0	1	0	
	RFWs shall be so		to obtain auth neet prescribe	orization to delive ed configuration	er					
	reviewed and dist	osition d	etermined wit	hin 30 calendar da	ays upon					
RFWs shall be address: mbma	transmitted, in A	SCII formute	mat, via E-Ma om.usmc.mil	ail to the following	3					
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited		ļ			
							<u> </u>	<u></u>		
							<b>*</b>			
						<del></del>				
						·				
							<del> </del>			
							<del>  -</del>			
						<u> </u>			n:300035.7	
						15. TOTAL		1		
E. PREPARED BY	I Rind	1/1/1	H. DATE FEB 2 3	I. APPROVED BY	00	Mans.	J. DATI	1 5/0	o Ø	
DB FURM 1423-1, AUG 96 (EG)  PREVIOUS PROTOCOLOGY MAY BE USED.						U WITH	Page	ر عرر ک	Pages	